

## CE Declaration of Conformity

Ref No: IPSBU-102P-202305005-CE

**Manufacturer name: Delta Electronics, Inc.**

Add: 3, Tungyuan Road, Chungli Industrial Zone, Taoyuan City 32063, Taiwan

Tel: 886- 3- 4526107

Fax: 886 -3- 4527314

***Is herewith confirmed the following equipment***

Product: SWITCHING POWER SUPPLY

Brand name: DELTA

No.	Model/Type reference	Ratings – AC input	Ratings – DC output	Max. ambient temperature (Tma)
1.	DRC-12V060W1RZx1x2	AC 100-240 V $\sim$ , 1.4 A, 50-60 Hz or	DC 12 V, 4.5 A (54 W Max)	50 °C for full 100 % load condition and 70 °C for de-rating 60 % load condition.
	DRC-24V060W1RZx1x2		DC 24 V, 2.5 A (60 W Max)	
	DRC-48V060W1RZx1x2		DC 48 V, 1.25 A (60 W Max)	
2.	DRC-060Z12V1RZx1x2x3	AC 200-240 V $\sim$ , 0.9 A, 50-60 Hz (for China use only)	DC 12 V, 4.5 A (54 W Max)	
	DRC-060Z24V1RZx1x2x3		DC 24 V, 2.5 A (60 W Max)	
	DRC-060Z48V1RZx1x2x3		DC 48 V, 1.25 A (60 W Max)	
Note: x1, x2 and x3 can be any alphanumeric character or blank				

***Comply with the following directives and requirements set out in the Council Directive on the Approximation for the Laws of the Member States***

- Low Voltage Directive 2014/35/EU
  - EN 62368-1:2014+A11:2017
  
- EMC Directive 2014/30/EU
  - EN 55032 : 2015+A11 :2020 Class B
  - EN 55035 : 2017+A11 :2020
  - EN 61000-3-2 : 2014
  - EN IEC 61000-3-2 : 2019+A1:2021
  - EN 61000-3-3 : 2013
  - EN 61000-3-3 : 2013+A2:2021
  - IEC 61000-4-2 : 2008: Edition 2.0
  - IEC 61000-4-3 : 2010: Edition 3.2
  - IEC 61000-4-4 : 2012: Edition 3.0
  - IEC 61000-4-5 : 2017: Edition 3.1
  - IEC 61000-4-6 : 2013: Edition 4.0

- IEC 61000-4-8 : 2009: Edition 2.0
- IEC 61000-4-11 : 2020: Edition 3.0
- EN 61000-6-4 :2007+A1 :2011
- EN 61000-6-2 :2005
- EN 61204-3 :2000

- RoHS Directive 2011/65/EU+ (EU) 2020/659
- EN IEC 63000:2018

***This declaration of conformity is issued under the sole responsibility of the manufacturer.***

***Person responsible for making this declaration***

Name, Surname: Sam Tien

Title: Principal Engineer

Place: Taiwan

Date: 2023-09-14

Signature: 